

In Western Australia
from 2011 ▶ 2015 there were
642 DEATHS
DUE TO
POISONING



REGIONAL HOSPITALISATION RATES
COMPARED TO THE STATE

HOSPITALISATIONS



2011 ▶ 2015

7,887

MALE / FEMALE %



2011 ▶ 2015

54.4%
Male

AGE RANGE



2011 ▶ 2015

25-44 EXPERIENCED THE
HIGHEST RATE OF
HOSPITALISATIONS

COST



2015

5,009 BED DAYS

APPROX. **\$10,139,329**

ACCOUNTS FOR



1.4%

OF HOSPITALISATIONS
BY EXTERNAL CAUSES


FOCUS

In Western Australia Aboriginal People make up 3.1%¹ of the population, however Aboriginal People made up **9.29%** of hospitalisations due to **Poisoning** between 2011-2015.

References:

1. Australian Bureau of Statistics 2016, 'Western Australia, People', viewed 5 September 2017, <www.censusdata.abs.gov.au/census_services/getproduct/census/2016/quickstat/5?opendocument>

Data generated using HealthTracks Reporting, by the Epidemiology Branch, WA Department of Health in collaboration with the Cooperative Research Centre for Spatial Information (CRC-SI), October 2017.



Difference in regional hospitalisation rates compared to the WA State hospitalisation rate, 2011 - 2015